

## KIP 75 series DATASHEET

The innovative space-saving design of the KIP 75 series with top stacking delivers increased speed, perfect black & white print quality, and sets new performance standards to easily meet project timelines while reducing costs. High-definition print technology delivers rich and expressive black density with advanced greyscale and fine line enhancement. With its hourly productivity and configuration versatility, the KIP 75 series gives your organisation the confidence and flexibility to meet the demands associated with technical printing.



## YOUR ADVANTAGES WITH THE KIP 75 SERIES





## Recommended configurations



## ✓ Technical specifications

GENERAL Description	Monochrome wide format print/copy/scan with colour
Description	scanner
T	
Туре	Electrophotography (LED) with organic photoconductor
	(OPC) and closed toner
Speed A1 size	10
per minute	
Warm up time	Less than 2 minutes from standby
Configurations	Printer/MFP
Roll options	2 or 4 Roll
Output delivery	Top/rear
<b>Electrical requirements</b>	220-240 V; 50/60 Hz; 16 A
Power consumption	< 1,500 W (printing); 430 W (standby)
PRINTER	
Print resolution	600 x 2,400 dpi
Paper capacity	2 or 4 roll
Output sizes width	297 mm – 914 mm
Output sizes length	6 m (standard); 150 m based on media validation
Paper weight	Bond-plain 64-90 gsm; vellum-translucent-tracing 80 gsm
(roll media)	film 75 gsm
(roll media) Media types	film 75 gsm Bond; vellum; film
<u>, , , , , , , , , , , , , , , , , , , </u>	
<u>, , , , , , , , , , , , , , , , , , , </u>	
Media types	
Media types  CONTROLLER	Bond; vellum; film
Media types  CONTROLLER  Controller type	Bond; vellum; film  KIP System K Controller with Windows® 7 embedded
Media types  CONTROLLER  Controller type  Memory	Bond; vellum; film  KIP System K Controller with Windows® 7 embedded 2GB DDR3 standard - upgradable to 4 GB

CALS Group 4; TIFF Group 4; CIT/TG4; Grayscale TIFF; TIFF Packbits; PNG; JPEG

SCANNER	
Scanner type	CIS/CCD
Scan resolution	600 dpi
Scan format	TIFF; Multipage TIFF; PDF; PDF-A; Multipage PDF; DWF;
	JPEG
Scan destination	Local USB (removable media); Mailboxes (local); FTP; SMB
	Cloud: Google Drive/Dropbox/Box/OneDrive/SharePoint
Original size	Width 210 mm to 914 mm
Original shickness	0.05 mm - 1.60 mm (image quality over 0.25 mm not
	guaranteed)



